Collection No. 201
K. H. L. Key

OLYMPIC

Western Victoria

GLAMIS

21 - 30. xii. 1980

DUPLICATE

CARBON BOOK

(Octavo Size)

100 Leaves in Duplicate

NUMBERED

Flexiflat
THERMO-PLASTIC BOUND

Collection No. 201 W. Victoria

01

K. H. L. Key
21-29. xii. 1980

21/12

38097.4 Start Highway, proceeding west. Darlington Point turn-off to right.

215.5 . Hay. Virtually no Atriplex vesicaria along highway between Narrandera & Hay. Took Goolgowi road.

233.7. Railway crossing (Illiliwa).

240.0. [= 199: 23011.0 & 90: 57528]. Self-mulching grey plain with Atriplex vesicaria, Kochia aphylla & leptorhynchos all to 1ft, with abundant dead annual grass & occ. Kochia sp. to 2 in. No Gen. nov. 23. Occ. ½ grown Morabine nymphs (Keyacris sp. P1086?) & small Perelytrana rana nymphs. Very dry. Return.

Perelytrana rana, Keyacris sp. P1086, Genus nov.

7 sp. 2

264.4. Hay.

22/12

265.0. Hay.

484.7 Robinvale.

498.0 . Turned right into Murray Vall. Highway

530.7. Start of Hattah-Kulkyne Nat. Park on right.

536.7. Dry lake on right, with darkgrey
Phaulacridium vittatum
self-mulching soil. Fringed with E. largiflorens & occ. camaldulensis. Occupied by a dense almost pure stand of an erect papilionaceous forb to 2ft, with small burr-pods.

545.6. Mallee dense to 25ft, on undulating
Phaulacridium sp. 3
brown soil. Zygophyllum sp., Kochia sp., & occ. Rhagodia sp. all to 9in. dense.

554.7. Hattah.

574.0 Nowingi

574.6 Turned left.

598.7. Turned round.

23/12.

677.5. Ouyen.

790.4. Murrayville. Return.

791.0. Turned right for Mill.

825.0. Windmill.

ornata
826.5. Pale beige sandhills. Banksia sp.,
Coryphistes ruricola, Goniaea vocans, Genus nov. 95
Leptospermum sp., Hakea sp., Casuarina sp.,
sp. 8, Urnisa rugosa, Austroicetes frater
Callitris sp. & other shrubs dense to 5ft.

03

Eumecistes gratiosus (j.), Peakesia fulvipes,
with occ. emergent mallee to 10ft, coarse
Cirphula pingi, Histrioacrida roseipennis (j.), genus nov. apterous
cyperaceous plant (Lepido~~carpus~~ sp.?) to
9 5 ochracea, Ph[illegible]um, Urnisiella Mirgacridium anea
1ft, occ. Triodia to 3ft, some burnt areas
rubropunctata, Proscifera sp. P11a?(juv.)
regenerating, with bare sand. Morabine
on Leptospermum. Return.

Halgania cyanea Lindl. (Ehretaceae)
827.7. Food plant of Histrioacrida. (Nymph
found both here & 826.5.)

828.2. Windmill.

Urnisiella rubropunctata
833.7. Similar to 826.5

840.5 Broadly similar to 826.5, but
Peakesia fulvipes
without mallee.

849.7 Depression in large sandhills, cleared
Histrioacrida roseipennis, Monistria discrepans,
from mallee to 15ft. Callitris sp. to 10ft,
Proscifera sp. P11a(?)
Grevillea sp., Acacia sp. to 2ft, both food
plants of Histrioacrida, & other low shrubs.

862.6. Murrayville.

884.7. Extensive flat depression with
Macropophalia sp., Macrotona australis
pale brown fine sand (salty). Atriplex
vesicaria to 2ft, samphire to 1ft.

913.8. Undulating. Pale brown soil. Mallee
Coryphistes ruricola
to 12ft, with Acacia wilhelmiana? (spec.)
to 4ft, Zygophyllum sp., Kochia sp.,

04

occ. other shrubs. Mistletoe. Linga.

24/12.

977 Ouyen

39030.3. Underbool.

040.5. Turned right for Pink Lakes, just outside Linga.

052.0. Entrance to Pink Lakes State Park. Road swings left
(on left).

055.0. Margin of Lake Crosby. Scattered
Macrolopholia sp., Austroicetes frater, Pycnostictus
mallee to 20 ft leading down to Atriplex sp.,
seriatus. Stropis maculosa (j.), Phaulacridium sp. 10,
samphire, + other small shrubs 9 in - 2 ft,
P. sp. 3, Keyacris sp. (j.)
scattered grass + dead annual forbs. Beige
fine sand with salt evident in places.
sp. in open Atriplex-samphire.
Chort. Phaul. sp. 3 in debris under mallee, other

055.6. Took right fork.

056.5. Lake Kenyon. Returned

059.6. Lake Becking. Return.

076.4 Rejoined Ouyen Highway. Turned left.

107.2. Walpeup. Took Patchewollock road.

125.4. Sandridge with beige soil. Mallee
Mingacris nana
+ Callitris sp. both to 20 ft. Grevillea sp.

& other shrubs to 8ft, various shrubs to 1ft, some grass & dead forbs. Dianella under mallee.

130.6. Sealed road in from left.

132.4. Extensive undulations of beige fine sand with mallee dune to 12ft., Genus nov. 48 sp. 3(?) Grevillea sp. occ. to 7ft, Acacia sp. & other shrubs to 4ft, abundant large Triodia, Helichrysum sp. aff. semipapposum, blue-flowered (Halgania cyanea) host of Austroanda to 1ft (one seen), Vittadinia to 6in.

142.6. Turned right.

143.5. Patchewollock. Return.

144.8. Turned right.

167.9. Sandridge, beige fine sand, Mallee to 15ft, Leptospermum sp. to 6ft & regrowth. A few minor shrubs to 1ft.

194.7. Hopetoun

25/12.

197.7. Hopetoun.

241.5. Entrance to Wyperfeld Nat. Park.

245.4. Beige sandhill margining depression

Urnisa rugosa, U. guttulosa, scattered Callitris rob.
Sandhill with Melaleuca r/o. to 10ft. &
Phaulacridium vittatum (?)(j)
+ a small shrub to 1ft numerous, &
an annual ?Helipterum to 9in, some
annual dead grass. All grasshoppers
here,
taken on sandhill. Depression lined
with E. largiflorens to 50ft.

252.9. Return.

264.3. Exit from Park.

307.9. Hopetoun.

26/12.

311.3. Hopetoun.

351.2. Took right fork.

356.9. Lake Albacutya Park. White sand
Phaulacridium vittatum, ~~Urnisa rugosa~~.
forming a creek leading into lake.
Macrotona australis, ~~[illegible]~~
E. camaldulensis to 70ft, regrowth of a
~~(?)(j)~~ Aiolopus thalassinus (j)
phyllode wattle dense to 5ft & dead ones to
10ft, cyperaceae dense to 2ft.

357.4. Bridge over creek.

357.7. Road off to western beach of lake.

367.2. Turned left.

369.9. Turned right.

374.0. Turned right along track.

378.2 Return.

381.6. Road turns left: took track straight ahead.

382.9. Return.

404.5 Rainbow.

420.5. Outlet Creek, north of Lake Hindmarsh

421.1. Margin of Lake Hindmarsh. E.
Phaulacridium vittatum, Urnisa rugosa,
camaldulensis to 70ft, E. largiflorens
Macrotona australis, Monistria pustulifera (j.)
to 50ft, Acacia spp. to 6ft,

Cyperaceae spp. (3) to 2ft. Dianella sp. in clumps to 1ft. grasses in patches. Monistria nymphs numerous on a herbaceous labiate to 1ft. Pale sand in swales + rises.

441.4. Turned right.

461.5. Netherby.

494.3. Yanac. Took Murrayville road.

491.9. Instantaneous passage into pure heath
Peakesia fulvipes, Exarna includens; Cirphula
on undulating white sand. Banksia
B. ornata ✓ jungi, Phaulacridium vittatum.
sp. as S of Murrayville to 6ft dense,
Urnisa erythrocnemis, Minyacrididae [illegible],
Banksia marginata (spec) to 3ft less frequent,
Proxifera sp. P11a (j.)
numerous spp. ericoid shrubs 1-3ft, Lepido-

sperma
~~carpus~~ to 9in occ, a trailing papilionaceous, very green plant covering areas several metres across (tettigoniid on this).

497.8. Undulating white sand. Mallee to
Phaulacridium vittatum, Minyacris nana
8ft, Casuarina sp. to 6ft, upright white-
Austroicetes frater
flowered myrtaceous shrub to 3ft, Grevillea sp. to 1ft, Triodia sp. occ. to 18in, spreading plant from last stop, Calytrix sp. to 18in, grasses.

501.9. Return.

519.6. Yanac.

29/12.

565.1. Nhill.

576.0 Winiam.

577.2. Turned left.

579.4. Turned right.

581.9. Flat with pale sand. Heath, all to 3ft.
Proriefera sp. P11a (f.), Peakesia fulvipes, Exarna
Both spp. of Banksia & of Casuarina,
includens, Vandiemenella viatica, Psedna nana.
various other shrubs, numerous large clumps of Lepidosperma to 9in, occ. other Cyperaceae. Scattered ~~black~~ stringybarks in vicinity.

593.3. Undulating white sand. Open

Psednura nana
mallee to 12ft. with myrtaceous broom-like
shrub to 5ft (spec.), Hakea sp. + other
shrubs to 5ft, occ. Lepido , other small
shrubs to 1ft. Peakesia brunnea.

626.0. Goroke.

645.2. Low rise to left of road with large
Phaulacridium vittatum
sand. A stringybark with broad flattened
fruits to 20ft, Banksia marginata
occ. to 8ft + the other sp more frequent to
5ft, mixed shrubs dense to an even
2–3ft. Fringed with E. leucoxylon (?) to
40ft.

647.7. Cross-road. Left to Edenhope,
right to Kaniva. Turned right.

666.4. Slight depression in undulating
Exarna includens, Cirphula jungi, to 30ft
white sand. Groves of stringybark) —
Coryphistes ruricola, Peakesia pulvipes
presumably same as 581.9: not as 645.2.
Goniaea australasiae
Between + within groves, heath 1–5ft,
the coarse Casuarina sp. + all to 4ft
comprising both Banksias [+ Xanthorrhoea
to 6ft, numerous mixed shrubs, including
Leptospermum sp. in flower, occ. patches
Lepidosperma concavum.

671.1. [illegible] [illegible] off to right.

678.0. Slight depression in undulating [illegible] beige sand. Whipstick mallee to 10ft open with Melaleuca uncinata & Melaleuca sp (smaller, grey leaves) to 4ft & [illegible] [illegible] Hakea sp. & Casuarina sp. (same), occ. Xanthorrhoea sp.

6[illegible] Kaniva. Return to Nhill

28/12.

740.1. Nhill.

779.6. Dimboola.

7[illegible] [illegible] S right.

7[illegible].0. Slightly undulating white sand. Fauna includes, B. ornata, Macrotona [illegible] [illegible] spread [illegible] Banksia to 6ft, [illegible] [illegible] (?). [illegible] [illegible], [illegible] [illegible] & [illegible], a patch of the [illegible] sp. P11a(?)
[illegible] [illegible] in Little Desert, [illegible]
[illegible] sp. to 25 ft, [illegible] [illegible]
[illegible] to 6ft, [illegible] [illegible] & [illegible]
[illegible] ([illegible]), [illegible] of [illegible] sedge,
[illegible] sp. to 4ft. [illegible]
[illegible] abundant on the [illegible].

Return. [This is part of Little Desert Nat. Park.]

788.3. Dimboola.

808.0 Pimpinio.

825.3. Horsham.

842.9. Turned right.

850.8. Turned left on Mt. Zero road.

Took
856.4 {Sharp bend right.

857.6. Turned sharp right.

859.2. Gentle undulations of pale pink sand.
Goniaea australasiae
Stringybark as on Little Desert (all these could be macrorhyncha on the fruits) to 60ft, Banksia marginata scattered to 10ft Xanthorrhoea to 5ft, numerous spp. of shrubs to 3ft., incl. Grevillea ~~montana~~ alpina & Hakea sp. (?sericea).

860.6. T junction. Turned left. Signpost says "Golton Gorge 6".

866.7. Crossed Golton Ck.

872.5. Crossroads. Took road "2 Halls Gap".

880.8. Track off to left.

883.1. Flat treeless depression with pale grey
Exarna includens
sandy soil. Mainly dense Leptospermum sp. 2-3ft, occ. acaulescent Xanthorrhoea

occ. Banksia marginata to 6ft. occ. clumps cyperaceae, miscellaneous low shrubs to 1ft.

888.2. Plantation road off to left.

895. Halls Gap.

29/12.

909.3. Halls Gap. Took left circuit.

911.9. Turned left to "Wonderland"

Peakesia fulvipes, Rhitzala modesta (?), Vandiemenella viatica

913.0. Wonderland Turntable. Return.

914.1. Back on main road.

915.1. Crossed Golf Stream. Track off to Splitters Falls.

916.8. Took left fork.

919.3. Turned off left.

Goniaea australasiae.

920.6. Sundial Turn-table. Return.

921.8. Back on main road. Turned left.

922.4. Stoney Ck road on ~~left~~ right.

925.5. Parking area for Silverband Falls.

927.8. Turned left into Dunkeld - Halls Gap road.

930.6. Bellfield Settlement.

30/12

935.1 Halls Gap. Took Dunkeld road

945.1 Crossed Fyans Ck.

948.3. Turned left.

958.4. Mt. William turn-table
Vandiemenella viatica, Phaulacridium
Climbed to top of Mt William. Gently
vittatum (j.), Austroicetes vulgaris (j.)
sloping summit with large rocks.
marginata & integrifolia
E. alpina & Banksia spp (specs) both to
5ft (both much larger lower down),
B. marginata, Prostanthera sp., Leptospermum lanigerum to 3ft, a number of different ericoid shrubs to 8in, patches of cyperaceae to same, a little grass on cleared areas around repeater station. In places the taller plants were absent, yielding a 1-2ft heath. Vandiemenella mainly on a 1-ft high papilionaceous shrublet with almost circular pods & slightly furry small leaves.

Return.

31/12
40202.6 Talbot.

242.0. Turned left into Murray Valley Highway

247.0 Swan Hill.

248.8 Crossed Murray R.

260.0. Took right fork for Moulamein

279.2. Crossed Wakool R.

309.8. Soak in slight depression, from
Peakesia hospita. Schizobothrus flavovittatus,
irrigation in adjacent field. Grey self-
Goniaea australasiae
mulching soil, relict E. largiflorens to 40 ft. Successive zones of bulrushes, cyperaceae, Rumex, nardoo, + cane-grass.

319.7. Moulamein

383.5. Crossed Sturt Highway.

402.9. Mantellin.